

In times of disaster, emergency mental health services must be delivered in the field. This chapter reviews the current state of the literature and future trends in disaster mental health.

Disaster Mental Health: Current Status and Future Directions

Bruce H. Young, Josef I. Ruzek, Fred D. Gusman

Each year about 1.5 million households in the United States experience fatality, injury, or some form of resource loss as a result of disaster. Whether natural or human-made, the extreme and overwhelming forces of disaster can have far-reaching effects on individual, family, community, and national stability. Community disasters are associated with posttraumatic stress disorder (PTSD; Green, Lindy, Grace, and Leonard, 1992; La Greca, Silverman, Vernberg, and Prinstein, 1996; Shore, Volmer, and Tatum, 1989; Steinglass and Gerrity, 1990; Smith and Carol, 1993) other psychological disorders related to depression, alcohol abuse, anxiety, and somatization (Baum, Gatchel, and Schaeffer, 1983; Bravo and others, 1990; Bromet and others, 1982; Green and others, 1990; Norris and Murrell, 1988; Shore, Tatum, and Vollmer, 1986; Smith and others, 1986), physical illness (Adams and Adams, 1984; Leopold and Dillon, 1963), behavioral problems such as domestic violence (Adams and Adams, 1984), and more general symptoms of distress (Baum, Gatchel, and Schaeffer, 1983; Madakasira and O'Brien, 1987). Terrorism (such as the Oklahoma City bombing) and civil unrest (such as the 1992 Los Angeles riots) can also result in similar mental health problems (Difede and others, 1997; Tucker and others, 1997; Kim-Goh, Suh, Blake, and Young, 1995). In this brief chapter, we present a snapshot of the disaster research literature. In addition, we outline service delivery relevant to emergency psychiatric clinicians who may be called upon to treat disaster survivors. Finally, we discuss recent innovations and future directions in disaster mental health care.

Overview of Disaster Literature

Despite formidable practical, conceptual, and methodological problems related to disaster research (Baum and others, 1993; Gerrity and Flynn, 1997; Smith and Carol, 1993; Ursano, McCaughey, and Fullerton, 1994), study of the psychological and social effects of disaster has seen dramatic increase in recent years. In general, this developing literature suggests that mild to moderate stress reactions in the emergency and acute phases of disaster are highly prevalent, and that most people recover fully from moderate stress reactions within six to sixteen months (Baum and Fleming, 1993; Bravo and others, 1990; Dohrenwend and others, 1981; Green and Lindy 1994; Steinglass and Gerrity, 1990). Certain types of trauma exposure place survivors at high risk for trauma-related problems. For example, exposure to mass destruction or mass death (Goejian and others, 1994; Ursano, Fullerton, Kao, and Bhartiya, 1995), toxic contamination (Baum and Fleming, 1993; Dohrenwend and others, 1981; Hodgkinson, 1989; Lopez-Ibor, 1987), death of a loved one (Livingston, Livingston, Brooks, and McKinlay, 1992; Joseph, Yule, and Williams, 1994; Shore, Vollmer, and Tatum, 1989), and loss of home or community (Bland and others, 1996; Erikson, 1976; Freedy, Resnick, and Kilpatrick, 1992; Keane and others, 1994; Lima and others, 1993; Lonigan and others, 1994; Palinkas, Russell, Downs, and Petterson, 1992; Phifer and Norris, 1989; Quarantelli and Dynes, 1986; Solomon, Bravo, Rubio-Stipec, and Canino, 1993; Shore, Tatum, and Vollmer, 1986) have been associated with development of PTSD. Exposure to postdisaster major life stressors such as divorce, job loss, and financial losses (Bland and others, 1996; Garrison and others, 1995; Hardin, Weinrich, Sally, and Garrison, 1994; Joseph, Yule, and Williams, 1994; Koopman, Classen, and Spiegel, 1994) has also been associated with adjustment problems.

The literature addressing pragmatic service delivery aspects of disaster mental health has also seen considerable increase (for example, American Red Cross, 1995; Austin, 1992; Myers and Young, 1994; Raphael, 1986; Weaver, 1995; Young and others, 1998; Young, M., 1994). Information describing a range of issues related to training, interventions, and special populations has become available. A partial list of topical publications is presented in Table 6.1.

Table 6.1. Topics Appearing in Disaster Mental Health Service Delivery Literature

<i>Issue</i>	<i>Sources from Literature</i>
Anniversary issues and interventions	Myers and Schildhaus, 1994
Conceptual models for assessment	Freedy, Resnick, and Kilpatrick, 1992; Taylor, 1987
Defusing and debriefing techniques	American Red Cross, 1991; Armstrong, O'Callahan, and Marmar, 1991; Weaver, 1995; Young and others, 1998; Young, M., 1994

Table 6.1. (continued)

<i>Issue</i>	<i>Sources from Literature</i>
Disaster preparedness for the elderly	U.S. Administration of Aging and Kansas Department on Aging, 1995
Federal, state, and local response organization	Myers and Young, 1994; Young and others, 1998
Helping organizations	American Red Cross, 1991; Young and others, 1998
Large group interventions	Terr, 1992; Young and others, 1998
Mental health services in community settings	American Red Cross, 1991; Myers, Peuler, and Wee, 1994; Myers and Young, 1994; Weaver, 1995; Young and others, 1998
Mobile response teams	Zealberg and Puckett, 1992; Young and others, 1998; Young, M., 1994
On-scene interventions	American Red Cross, 1991; Young and others, 1998
Operating a death notification center	Sitterle, 1995
Prevention and control of stress among disaster workers	Emanuel and Ursano, forthcoming; Hartsough and Myers, 1987, 1985; Myers, Frattaroli, and O'Callahan, 1994; Ursano and Fullerton, 1988; Weaver, 1995; Young and others, 1998
Psychopharmacotherapy following disaster	Friedman, 1998
Role of mental health in emergency management	Myers, Renteria, and Freeman, 1994; Weaver, 1995
School interventions	Grimes and others, 1991; La Greca and others, 1994; Nader and Pynoos, 1993
Training in disaster mental health	Faberow and Frederick, 1978; Myers, DeWolfe, Zunin, and Zunin, 1994; Weaver, 1995; Young and others, 1998; Young, M., 1994
Use of volunteers and mutual aid	Myers, Young, and Spofford, 1994
Working with children	Deskin and Steckler, 1996; Eth, 1992; Kendall, 1989; La Greca and others, 1999; Nadir and Pynoos, 1993; Saylor, 1993
Working with the media	Weaver, 1995

Disaster Mental Health Service Delivery: Current Status

The primary objective of disaster mental health services is to limit the occurrence and severity of adverse impacts of disaster-related mental health problems (for example, posttraumatic stress reactions, depression, substance abuse) and help restore community equilibrium. Because so many agencies are involved (federal, state, local, American Red Cross, and so on), preparedness requires multilevel systemic planning. Administrators must become familiar with the Federal Response Plan, National Disaster Medical System, and the mission and resources of participating federal, state, and community agencies (for an overview of agencies contributing to disaster mental health services, see Young and others, 1998). Even with preparedness planning, systematic, coordinated, and effective response is continually challenged by real-world contingencies, and confusion and disagreement between agencies can occur. Recent federal legislation (H.R. 3923, Aviation Disaster Family Assistance Act, 1996) placing the American Red Cross in charge of coordinating mental health services for air crash victims and their families is a step in the right direction for helping to establish clear lines of authority.

In a major disaster, mental health services may be delivered on site, at hospital emergency services, and in disaster relief and application centers, shelters, community centers, schools, religious centers, work sites, or essentially wherever survivors and workers congregate. Mental health response requires the delivery of services in ways that differ from those typically delivered by mental health professionals. Help offered is more brief, more pragmatic, more directive, more focused on the external environment of the survivor, and less centered around pathology. Moreover, the primary objectives and forms of mental health services change through the emergency, early postimpact, and restoration phases (Young and others, 1998). For example, during emergency on-site intervention, the pragmatic needs of survivors are paramount and the establishment of safe and secure shelter is synonymous with good mental health care. Three weeks following the disaster, mental health services provided in community settings are apt to be educational rather than psychotherapeutic, with the objective of increasing awareness of the impact of the event and strengthening ways to maximize coping. Four months later, services for persistent symptoms provided in clinical settings may more closely resemble traditional assessment and treatment. Similarly, administrative tasks change throughout the phases of disaster.

Even though a variety of phase-appropriate interventions are employed by disaster mental health workers, critical incident stress debriefing (CISD; Mitchell, 1983) is commonly mistaken as synonymous with disaster mental health services. Experienced disaster mental health workers have estimated that debriefing may constitute only 6 percent of disaster mental health activities (American Red Cross, 1995). Despite widespread application of stress debriefing, there is little empirical evidence of its effectiveness (Rose and Bisson, 1998; Chemtob, Tomas, Law, and Crieniter, 1997; Kenardy and others,

ers, 1996). Debriefing may provide professionally guided opportunities to talk and learn about stress responses and stress management, but it is unlikely to provide effective treatment for the complex and persistent problems that may result from the interaction of the disaster itself, predisaster vulnerabilities, and adverse postdisaster conditions (Kenardy and others, 1996; Young and Gerrity, 1994).

When the president declares an event to be a disaster, federal crisis counseling programs can be set in place. Generally, services include public information, individual crisis intervention, outreach, support groups, and training and consultation for service providers, community organizations, and schools. The transition from immediate to long-term disaster mental services can be a complex and political process, often involving multiple providers with varying levels of expertise and training (see American Psychological Association, 1997).

Future Directions in Disaster Mental Health

As the field of disaster mental health develops, it will need to better match intensity of help with survivor need, better deliver services following the acute phase of disaster, and better apply mass media to support recovery. First, much has been learned about the factors that place trauma survivors at risk for development of PTSD and other problems. There is hope that these risk indicators can be used to match disaster survivors with levels of intensity of services, and that specialized programs for special populations (for example, children, frail elderly, minorities, chronically mentally ill) will continue to develop. Use of screening instruments designed to assess risk for subsequent problems may enable immediate delivery of more adequate levels of help to those at highest risk. Moreover, they may be used to guide later outreach efforts to follow up with those at risk for chronic impairment.

The practical tasks of recovery that require attention can delay survivors' recognition of their need for help. Consequently, the need for care may first become apparent weeks or months following the event itself. However, stigma associated with receiving mental health treatment and the desire to avoid dredging up traumatic memories and emotions are powerful disincentives to seeking help. Therefore, innovation and evaluation of methods of outreach and recruitment into services is needed. For example, a significant number of survivors who seek treatment for health problems may also be suffering from PTSD. Primary health care providers who treat these survivors may not routinely screen for PTSD or be aware of current treatments for the disorder. Development of guidelines for primary care services to deliver PTSD-related education, screening, and referral linkages could increase the number of entry points into disaster-related mental health treatment. Because crisis counseling programs are not generally designed to treat symptoms of posttraumatic stress once they have developed into an established disorder, increased attention to the development of brief, economical, but substantial interventions that can

be targeted at persistent postdisaster problems is needed (for example, see Young, Ruzek, and Ford, forthcoming).

One development of note has been the application of the *Conservation of Resources* model of stress (Hobfoll, 1989; Hobfoll, Dunahoo, and Monnier, 1995) to disaster mental health research (Freedy, Resnick, and Kilpatrick, 1992; Freedy and others, 1994). According to this model, loss of resources in the aftermath of disaster leads to emotional distress and diminished coping capacity. Resources are conceptualized broadly, with loss of object resources (such as car and home), condition resources (such as employment and marriage), personal characteristic resources (such as optimism, purpose, and independence), and energy resources (such as time, money, and information) all playing a cumulative role. In a study of 418 Hurricane Hugo survivors, Freedy, Resnick, and Kilpatrick (1992) found that resource loss was the strongest predictor of distress at approximately two months postdisaster, accounting for 34 percent of the variance. Freedy and others (1994) reported similar findings with 229 survivors of the Sierra Madre earthquake in Los Angeles. Resource loss remained a significant predictor of distress four to seven months after the earthquake, even after other sources of distress were statistically controlled. These data serve to reinforce the importance for mental health of the current emphases in disaster response on restoration of basic needs (such as food, shelter, sleep, and contact with loved ones) and redress of financial and material losses. They can help guide the development of more effective mental health interventions. And they help keep attention focused on the impact of disaster on the environment of the person rather than on intrapsychic vulnerabilities.

There is a rapidly growing literature describing the stressors associated with disaster work itself. However, there are relatively few methodologically sound studies on the impact of this work (Hodgkinson and Shepherd, 1994; Kenardy and others, 1996; Lundin and Bodegard, 1993; Ursano, Fullerton, Kao, and Bhartiya, 1995). Research examining the effects of exposure to physical danger, encountering the suffering of others, role ambiguities, long hours, and difficult choices is needed to guide the development of disaster worker deployment and support systems. Moreover, while disaster mental health consultants consistently draw attention to the need to establish structured systems of worker support, there is a need to evaluate the effectiveness of various mechanisms of support.

Finally, because entire communities are affected by disaster, it is important to focus more research attention on larger community-based interventions. For example, the media can play a powerful role in catalyzing community support (Milgram and others, 1995). The Internet is another means to disseminate information (there are many disaster-related Web sites for survivors, workers, and practitioners). However, research is needed to evaluate the effectiveness of different forms of persuasion and dissemination in accomplishing readiness for disaster and mitigating its psychosocial effects. Correspondingly, there is a growing effort to provide the media with guidelines for coverage and interviewing (for example, see Ochberg, 1996; Slater and Hall, 1998), and the

Victims and Media Program at the Michigan State University School of Journalism offers an annual cash prize for excellence in reporting on victims of violence. It will be important to continue to examine the impact of media coverage of disaster (Friedman, 1996). For example, a recent study of 724 randomly selected individuals across the United States indicated that the most commonly reported trigger to recall of trauma was television and movies (Elliott, 1997).

Over the last fifteen years there has been a growing international interest in disaster research and a remarkable development of disaster mental health service delivery. Although much is known about who is at risk for persistent disaster-related psychological problems, much remains to be learned about the most pragmatic and efficient means of providing services. This is especially true with regard to disasters affecting large numbers of people. The need for continued development and empirical study of the effectiveness of a wide range of interventions, including pragmatic efforts to restore personal resources to survivors, brief "shotgun" stress debriefing services, longer-term disaster-related treatment, systems of support for disaster workers, and Internet and media interventions challenge future researchers, emergency planners, and responders.

References

- Adams, P. R., and Adams, G. R. "Mount St. Helen's Ashfall: Evidence for a Disaster Stress Reaction." *American Psychologist*, 1984, 39, 252-260.
- American Psychological Association. *Final Report: American Psychological Association Task Force on the Mental Health Response to the Oklahoma City Bombing*. Washington, D.C.: American Psychological Association, 1997.
- American Red Cross. *Disaster Mental Health Services* (ARC 3050M). Washington, D.C.: American Red Cross, 1991.
- American Red Cross. *Disaster Mental Health Services I: Participants Workbook*. Washington, D.C.: American Red Cross, 1995.
- Armstrong, K. R., O'Callahan, W., and Marmar, C. R. "Debriefing Red Cross Personnel: The Multiple Stressor Debriefing Model." *Journal of Traumatic Stress*, 1991, 4, 581-593.
- Austin, L. S. (ed.). *Responding to Disaster: A Guide for Mental Health Professionals*. Washington, D.C.: American Psychiatric Press, 1992.
- Baum, A., and Fleming, I. "Implications of Psychological Research on Stress and Technological Accidents." *American Psychologist*, 1993, 48, 665-667.
- Baum, A., Gatchel, R. J., and Schaeffer, M. A. "Emotional, Behavioral, and Psychological Effects of Chronic Stress at Three Mile Island." *Journal of Consulting and Clinical Psychology*, 1983, 51, 565-572.
- Baum, A., and others. "Emergency/Disaster Studies: Practical, Conceptual, and Methodological Issues." In J. Wilson and B. Raphael (eds.), *International Handbook of Traumatic Stress Syndromes*. New York: Plenum, 1993.
- Bland, S. H., and others. "Long-Term Psychological Effects of Natural Disasters." *Psychosomatic Medicine*, 1996, 58, 18-24.
- Bravo, M., and others. "The Psychological Sequelae of Disaster Stress Prospectively and Retrospectively Evaluated." *American Journal of Community Psychology*, 1990, 18, 661-680.
- Bromet, E. J., Parkinson, D. K., Schulberg, H. C., Dunn, L. D., and Gondek, P. C. "Mental Health of Residents Near Three Mile Island Reactor: A Comparative Study of Selected Groups." *Journal of Preventive Psychiatry*, 1982, 1, 225-274.

- Chemtob, C., Tomas, S., Law, W., and Crieniter, D. "Postdisaster Psychosocial Intervention." *American Journal of Psychiatry*, 1997, 154, 415-417.
- Deskin, G., and Steckler, G. *When Nothing Makes Sense: Disaster, Crisis, and Their Effects on Children*. Minneapolis: Fairview Press, 1996.
- Difede, J., and others. "Acute Psychiatric Responses to the Explosion at the World Trade Center: A Case Series." *Journal of Nervous and Mental Disease*, 1997, 8, 519-522.
- Dohrenwend, and others. "Stress in the Community: A Report to the President's Commission on the Accident at Three Mile Island." *Annals of the New York Academy of Sciences*, 1981, 365, 159-174.
- Elliott, D. M. "Traumatic Events: Prevalence and Delayed Recall in the General Population." *Journal of Consulting and Clinical Psychology*, 1997, 65, 811-820.
- Emanuel, R. J., and Ursano, R. J. "Integrative Group Therapy with Disaster Workers." In B. Young and D. Blake (eds.), *Group Treatments for Post-Traumatic Stress Disorders*. Philadelphia: Taylor & Francis, forthcoming.
- Erikson, K. T. "Loss of Communitarity at Buffalo Creek." *American Journal of Psychiatry*, 1976, 133, 302-305.
- Eth, S. "Clinical Response to Traumatized Children." In L. Austin (ed.), *Responding to Disaster: A Guide for Mental Health Professionals*. Washington, D.C.: American Psychiatric Press, 1992.
- Faberow, N. L., and Frederick, C. J. *Training Manual for Human Service Workers in Major Disasters*. Rockville, Md.: National Institute of Mental Health, 1978.
- Freedy, J. R., Resnick, H. S., and Kilpatrick, D. G. "Conceptual Framework for Evaluating Disaster Impact: Implications for Clinical Intervention." In L. Austin (ed.), *Responding to Disaster: A Guide for Mental Health Professionals*. Washington, D.C.: American Psychiatric Press, 1992.
- Freedy, J. R., Saladin, M. E., Kilpatrick, D. G., Resnick, H. S., and Saunders, B. E. "Understanding Acute Psychological Distress Following Natural Disaster." *Journal of Traumatic Stress*, 1994, 7, 257-273.
- Friedman, M. J. "New Directions: Trauma and the Media." *NC-PTSD Clinical Quarterly*, 1996, 6, 46.
- Friedman, M. J. "Pharmacotherapy Following Disaster." In B. Young and others. *Disaster Mental Health Services: A Guidebook for Clinicians and Administrators*. St. Louis, Mo.: National Center for PTSD, Department of Veterans Affairs Employee Education System, 1998.
- Garrison, C. Z., and others. "Post-Traumatic Stress Disorder in Adolescents After Hurricane Andrew." *Journal of American Academy of Child and Adolescent Psychiatry*, 1995, 34, 1193-1201.
- Gerrity, E. T., and Flynn, B. W. "Mental Health Consequences of Disasters." In E. Noji (ed.), *The Public Health Consequences of Disasters*. New York: Oxford University Press, 1997.
- Goenjian, A., and others. "Post-Traumatic Stress Disorder in Elderly and Younger Adults After the 1988 Earthquake in Armenia." *American Journal of Psychiatry*, 1994, 151, 895-901.
- Green, B. L., and Lindy, J. D. "Post-Traumatic Stress Disorder in Victims of Disasters." *Psychiatric Clinics of North America*, 1994, 17, 301-309.
- Green, B. L., Lindy, J. D., Grace, M. C., and Leonard, A. C. "Chronic Post-Traumatic Stress Disorder and Diagnostic Comorbidity in a Disaster Sample." *Journal of Nervous and Mental Disease*, 1992, 180, 760-766.
- Green, B. L., Lindy, J. D., Grace, M. C., Gleser, G. C., Leonard, A. C., Korol, M., and Winget, C. "Buffalo Creek Survivors in the Second Decade: Stability of Stress Symptoms." *American Journal of Orthopsychiatry*, 1990, 60, 43-54.
- Grimes, C., and others. *School Intervention Following a Critical Incident*. Washington, D.C.: Federal Emergency Management Agency, 1991.
- Hardin, S. B., Weinrich, M. W., Sally, H. T. L., and Garrison, C. "Psychological Distress of Adolescents Exposed to Hurricane Hugo." *Journal of Traumatic Stress*, 1994, 7, 427-440.
- Hartsough, D. M., and Myers, D. *Disaster Work and Mental Health: Prevention and Control of Stress Among Workers*. Rockville, Md.: National Institute of Mental Health, 1985.
- Hartsough, D. M., and Myers, D. *Prevention and Control of Stress Among Emergency Workers: A Pamphlet For Team Managers*. DHHS Publication No. ADM 90-1496. Washington, D.C.: Department of Health and Human Services, 1987.
- Hobfall, S. E. "Conservation of Resources: A New Attempt at Conceptualizing Stress." *American Psychologist*, 1989, 44, 513-524.
- Hobfall, S. E., Dunahoo, C. A., and Monnier, J. "Conservation of Resources and Traumatic Stress." In J. R. Freedy and S. E. Hobfall (eds.), *Traumatic Stress: From Theory to Practice*. New York: Plenum, 1995.
- Hodgkinson, P. E. "Technological Disaster: Survival and Bereavement." *Social Science and Medicine*, 1989, 29, 351-356.
- Hodgkinson, P. E., and Shepherd, M. A. "The Impact of Disaster Support Work." *Journal of Traumatic Stress*, 1994, 7, 587-600.
- Joseph, S. A., Yule, W., and Williams, R. "The Herald of Free Enterprise Disaster: The Relationship of Intrusion and Avoidance to Subsequent Depression and Anxiety." *Behaviour Research and Therapy*, 1994, 32, 115-117.
- Keane, A., Pickett, M., Jepson, C., McCorkle, R., and Lowery, B. J. "Psychological Distress in Survivors of Residential Fires." *Social Science and Medicine*, 1994, 38, 1055-1060.
- Kenardy, J. A., and others. "Stress Debriefing and Patterns of Recovery Following a Natural Disaster." *Journal of Traumatic Stress*, 1996, 9, 37-49.
- Kendall, K. *Trauma in the Lives of Children*. Claremont, Calif.: Hunter House, 1989.
- Kim-Goh, M., Suh, C., Blake, D. D., and Young, B. H. "The Psychological Impact of the Los Angeles Riots on Korean-American Victims and Implication for Treatment." *Journal of Orthopsychiatry*, 1995, 65, 138-146.
- Koopman, C., Classen, C. C., and Spiegel, D. "Predictors of Post-Traumatic Stress Symptoms Among Survivors of the Oakland/Berkeley, Calif., Firestorm." *American Journal of Psychiatry*, 1994, 151, 888-894.
- La Greca, A. M., Silverman, W. K., Vernberg, E. M., and Prinstein, M. S. "Symptoms of Post-Traumatic Stress in Children After Hurricane Andrew: A Prospective Study." *Journal of Consulting and Clinical Psychology*, 1996, 64, 712-723.
- La Greca, A. M., Vernberg, E. M., Silverman, W. K., Vogel, A. L., and Prinstein, M. S. *Helping Children Prepare For and Cope with Natural Disasters: A Manual for Professionals Working with Elementary School Children*. Coral Gables: Department of Psychology, University of Miami and Florida International University, 1994.
- Leopold, R. L., and Dillon, H. "Psychoanatomy of a Disaster: A Long-Term Study of Post-Traumatic Neuroses in Survivors of a Marine Explosion." *American Journal of Psychiatry*, 1963, 119, 913-921.
- Lima, B. R., and others. "Emotional Distress in Disaster Victims: A Follow-Up Study." *Journal of Nervous and Mental Disease*, 1993, 181, 388-393.
- Livingston, H. M., Livingston, M. G., Brooks, D. N., and McKinlay, W. W. "Elderly Survivors of the Lockerbie Air Disaster." *International Journal of Geriatric Psychiatry*, 1992, 7, 725-729.
- Lonigan, C. J., Shannon, M. P., Taylor, C. M., Finch, A. J., and Sallee, F. R. "Children Exposed to Disaster: II, Risk Factors for the Development of Post-Traumatic Symptomatology." *Journal of the American Academy of Child and Adolescent Psychiatry*, 1994, 33, 94-105.
- Lopez-Ibor, J. J. "Social Reinsertion After Catastrophes: The Toxic Oil Syndrome Experience." *European Journal of Psychiatry*, 1987, 1, 12-19.
- Lundin, T., and Bodegard, M. "The Psychological Impact of an Earthquake on Rescue Workers: A Follow-Up Study of the Swedish Group of Rescue Workers in Armenia, 1988." *Journal of Traumatic Stress*, 1993, 6, 129-139.
- Madakasira, S., and O'Brien, K. F. "Acute Post-Traumatic Stress Disorder in Victims of Natural Disaster." *Journal of Nervous and Mental Disease*, 1987, 175, 286-290.

- Milgram, N., and others. "Catalyzing Community Support." In S. Hobfall and M. De Vries (eds.), *Extreme Stress and Communities: Impact and Intervention*. Norwell, Mass.: Kluwer Academic Publishers, 1995.
- Mitchell, J. T. "When Disaster Strikes: The Critical Incident Stress Debriefing." *Journal of Medical Emergency Services*, 1983, 8, 36-39.
- Myers, D., DeWolfe, D., Zunin, L. M., and Zunin, H. S. "Selection and Training of Disaster Mental Health Staff." In D. Myers and B. Young (eds.), *Disaster Response and Recovery: A Handbook for Mental Health Professionals*. Washington, D.C.: U.S. Department of Health and Human Services, 1994.
- Myers, D., Frattaroli, L., and O'Callahan, W. T. "Support and Stress Management for Disaster Mental Health Staff." In D. Myers and B. Young (eds.), *Disaster Response and Recovery: A Handbook for Mental Health Professionals*. Washington, D.C.: U.S. Department of Health and Human Services, 1994.
- Myers, D., Peuler, J., and Wee, D. "Outreach Services Following a Disaster." In D. Myers and B. Young (eds.), *Disaster Response and Recovery: A Handbook for Mental Health Professionals*. Washington, D.C.: U.S. Department of Health and Human Services, 1994.
- Myers, D., Renteria, H., and Freeman, C. "The Role of Mental Health in Emergency Management and the Emergency Operations Center." In D. Myers and B. Young (eds.), *Disaster Response and Recovery: A Handbook for Mental Health Professionals*. Washington, D.C.: U.S. Department of Health and Human Services, 1994.
- Myers, D., and Schildhaus, A. "The Anniversary of the Disaster: Mental Health Issues and Interventions." In D. Myers and B. Young (eds.), *Disaster Response and Recovery: A Handbook for Mental Health Professionals*. Washington, D.C.: U.S. Department of Health and Human Services, 1994.
- Myers, D., and Young, B. H. (eds.). *Disaster Response and Recovery: A Handbook for Mental Health Professionals*. Publication No. (SMA) 94-3010. Washington, D.C.: Department of Human and Health Services, 1994.
- Myers, D., Young, B. H., and Spofford, P. "The Use of Volunteers and Mutual Aid Personnel in Mental Health Disaster Response." In D. Myers and B. Young (eds.), *Disaster Response and Recovery: A Handbook for Mental Health Professionals*. Washington, D.C.: U.S. Department of Health and Human Services, 1994.
- Nader, K., and Pynoos, R. "School Disaster: Planning and Interventions." *Journal of Social Behavior and Personality*, 1993, 8, 1-21.
- Norris, F. H., and Murrell, S. S. "Prior Experience as a Moderator of Disaster Impact on Anxiety Symptoms in Older Adults." *American Journal of Community Psychology*, 1988, 16, 665-683.
- Ochberg, F. M. "A Primer on Covering Victims." *Nieman Reports*, 1996, 50 (3), 21-26.
- Palinkas, L. A., Russell, J., Downs, M. A., and Petterson, J. S. "Ethnic Differences in Stress, Coping, and Depressive Symptoms After the Exxon Valdez Oil Spill." *Journal of Nervous and Mental Disease*, 1992, 180, 287-295.
- Phifer, J. F., and Norris, F. H. "Psychological Symptoms in Older Adults Following Natural Disaster: Nature, Timing, Duration, and Course." *Journal of Gerontology: Social Sciences*, 1989, 44, S207-S217.
- Quarantelli, E. L., and Dynes, R. A. "Community Responses to Disasters." In B. Sowder and M. Lystad (eds.), *Disasters and Mental Health: Contemporary Perspectives and Innovations in Services to Disaster Victims*. Washington, D.C.: American Psychiatric Press, 1986.
- Raphael, B. *When Disaster Strikes*. New York: Basic Books, 1986.
- Rose, S., and Bisson, J. "Brief Early Psychological Interventions Following Trauma: A Systematic Review of the Literature." *Journal of Traumatic Stress*, 1998, 11, 697-710.
- Saylor, C. F. (ed.). *Children and Disasters*. New York: Plenum Press, 1993.
- Shore, J. H., Tatum, E. L., and Vollmer, W. M. "Psychiatric Reactions to Disasters: The Mount St. Helens Experience." *American Journal of Psychiatry*, 1986, 143, 590-596.
- Shore, J. H., Vollmer, W. M., and Tatum, E. L. "Community Patterns of Post-Traumatic Stress Disorders." *Journal of Nervous and Mental Disease*, 1989, 177, 681-685.
- Sitterle, K. A. "Mental Health Services at the Compassion Center: The Oklahoma City Bombing." *National Center for PTSD Clinical Quarterly*, 1995, 5 (4), 20-23.
- Slater, R. E., and Hall, J. E. *Anniversary Report: Task Force on Assistance to Families of Aviation Disasters*. Washington, D.C.: Department of Transportation and National Safety and Transportation Board, 1998.
- Smith, E. M., and Carol, C. S. "Post-Traumatic Stress Disorder in Natural Disasters and Technological Accidents." In J. Wilson and B. Raphael (eds.), *International Handbook of Traumatic Stress Syndromes*. New York: Plenum, 1993.
- Smith, E. M., and others. "Psychosocial Consequences of Disaster." In J. Shore (ed.), *Disaster Stress Studies: New Methods and Findings*. Washington, D.C.: American Psychiatric Press, 1986.
- Solomon, S. D., Bravo, M., Rubio-Stipec, M., and Canino, G. "Effect of Family Role on Response to Disaster." *Journal of Traumatic Stress*, 1993, 6, 255-269.
- Steinglass, P., and Gerrity, E. "Natural Disasters and Post-Traumatic Stress Disorder: Short-Term Versus Long-Term Recovery in Two Disaster-Affected Communities." *Journal of Applied Social Psychology*, 1990, 20, 1746-1765.
- Taylor, A. J. "A Taxonomy of Disasters and Their Victims." *Journal of Psychosomatic Research*, 1987, 31, 535-544.
- Terr, L. C. "Large-Group Preventive Treatment Techniques for Use After Disaster." In L. Austin (ed.), *Responding to Disaster: A Guide for Mental Health Professionals*. Washington, D.C.: American Psychiatric Press, 1992.
- Tucker, P., and others. "Traumatic Reactions as Predictors of Posttraumatic Stress Six Months After the Oklahoma City Bombing." *Psychiatric Services*, 1997, 48, 1191-1194.
- Ursano, R. J., and Fullerton, C. S. (eds.). "Exposure to Death, Disasters, and Bodies." Bethesda, Md.: Uniformed Services University of Health Sciences, 1988. (DTIC: A203163)
- Ursano, R. J., Fullerton, C. S., Kao, T., and Bhartiya, V. R. "Longitudinal Assessment of Post-Traumatic Stress Disorder and Depression After Exposure to Traumatic Death." *Journal of Nervous and Mental Disease*, 1995, 183, 36-42.
- Ursano, R. J., McCaughey, B. G., and Fullerton, C. S. (eds.). *Individual and Community Responses to Trauma and Disaster: The Structure of Human Chaos*. Cambridge, Great Britain: Cambridge University Press, 1994.
- U.S. Administration of Aging and Kansas Department on Aging. *Disaster Preparedness Manual for the Aging Network*. Topeka, Kans.: U.S. Administration of Aging and Kansas Department on Aging, 1995.
- Weaver, J. D. *Disasters: Mental Health Interventions*. Sarasota, Fla.: Professional Resource Press, 1995.
- Young, B. H., Ford, J. D., Ruzek, J. I., Friedman, M. J., and Gusman, F. D. *Disaster Mental Health Services: A Guidebook for Clinicians and Administrators*. St. Louis, Mo.: National Center for PTSD, Department of Veterans Affairs Employee Education System, 1998.
- Young, B. H., and Gerrity, E. T. "Critical Incident Stress Debriefing (CISD), Value and Limitations in Disaster Response." *National Center for Post Traumatic Stress Disorder Clinical Quarterly*, 1994, 4 (2), 17-19.
- Young, B. H., Ruzek, J. I., and Ford, J. D. "Cognitive-Behavioral Group Treatment for Disaster-Related PTSD." In B. Young and D. Blake (eds.), *Group Treatments for Post-Traumatic Stress Disorder*. Philadelphia: Taylor & Francis, forthcoming.
- Young, M. A. *Responding to Communities in Crisis: The Training Manual of the Crisis Response Team*. Dubuque, Iowa: Kendall/Hunt, 1994.
- Zealberg, J. J., and Puckett, J. "Function of Mobile Crisis Intervention Teams After Hurricane Hugo." In L. Austin (ed.), *Responding to Disaster: A Guide for Mental Health Professionals*. Washington, D.C.: American Psychiatric Press, 1992.

BRUCE H. YOUNG, L.C.S.W., is Disaster Services Coordinator at the National Center for Post-Traumatic Stress Disorder and editor of the NC-PTSD Clinical Quarterly.

JOSEF I. RUZEK, PH.D., is Associate Director for Education at the National Center for Post-Traumatic Stress Disorder.

FRED D. GUSMAN, M.S.W., is Director of the National Center for PTSD Education and Clinical Laboratory Division PTSD based at VA Palo Alto Health Care System in Menlo Park.